



2090 Shirley Drive
Kitchener, Ontario N2B 0A3

Tel.: (519) 578-1000
Fax: (519) 578-9540

www.knells.ca

SHOP ESSENTIALS PROMOTION!

Fan Forced Contractor Heaters



- Built-in thermostat
- Safety high temperature limit
- Built-in handle/cord storage
- Permanently lubricated motor
- 6' heavy-duty cord
- Steel spiral fan brazed to metal sheath elements for maximum heat transfer
- Voltage: 240 V
- Plug Type: #6-30P



Model No.	Motor Type	BTU/H Rating	Amperage	Wattage	Promo Price
EA477	Open	19100	23.34 A	5600	210.00
EB100	Closed	16380	20 A	4800	161.00

Adjustable Wrench Set

- Professional quality
- Drop forged Chrome Vanadium steel
- Fully heat treated for strength and durability
- Accurately machined sliding jaw for smooth adjustment
- No. of Pieces: 3
- Size Standard: Imperial and Metric
- Includes: 8" (160 mm), 10" (210 mm), 12" (300 mm)
- Openings: 1", 1-1/4", 1-1/2"



Model No.	MFG No.	Promo Price
AUW071	711102	62.70

Welding Helmets

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- Passive lens
- Material: Thermoplastic
- NT645: Meets ANSI Z87.1-1989, section 10 and 11
- NT687: Meets ANSI/ISEA Z87.1-2015



Model No.	Type	Window Dimensions"	Promo Price
NT645	Flip Front	2 x 4-1/4	19.99
NT687	Fixed Front	4-1/2 x 5-1/4	34.99

Collapsible Roll-Up Spill Berms



- A useful catch-all for small leaks and spills
- This flexible collapsible spill containment berm can fold and roll into a compact size when not in use
- However, when needed, the spill berm can easily unroll and be deployed as a drip pan under pipe fittings, vehicle engines, and small equipment
- Material: Vinyl
- Fabric Weight: 18 oz.
- Thickness: 20.3 mils (0.5 mm)
- Low Working Temperature: -40°F (-40°C)



Model No.	Spill Capacity	Dimensions W' x L' x H"	Promo Price
SHK110	15 US gal.	2 x 2 x 6	92.00
SHK111	34 US gal.	3 x 3 x 6	130.00
SHK112	60 US gal.	4 x 4 x 6	170.00

Pricing in effect until April 11, 2025 or while quantities last. Taxes and freight extra. Issue #SDW225012NA
Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.

Industrial Tool Cart

- Double wall steel construction for added strength
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Non-slip drawer liners
- Colour: Black
- Overall Dim.: 29-4/5"W x 21-1/5" D x 38-4/5" H
- No. of Drawers: 3
- Drawer Capacity: 100 lbs.
- Unit Capacity: 779 lbs.

AURORA
TOOLS



Model No.	Promo Price
TER216	496.00

Jobsite Tool Boxes

- 2-gas struts to assist with lid opening
- Piano hinge closes lid securely to keep the elements out
- Rubber grommet to allow electrical cord pass through
- Heavy-duty flip-up side handles
- Colour: Blue
- Material: Steel

NEW



AURORA
TOOLS

Model No.	Overall Dim. W" x D" x H"	Capacity cu.ft.	Capacity lbs.	Promo Price
UAW869	48 x 24 x 27-3/5	16	500	574.00
UAW870	60 x 24 x 27-1/2	20	1100	676.00

PRO+ Series Roller Cabinet

- Heavy-duty 100 lbs. bearing slides standard on all drawers
- Completely redesigned locking system with tubular key
- Automotive style powder coat paint finish for superior scratch and chemical resistance
- Redesigned side handle makes moving roller cabinets easy and comfortable
- No. of Drawers: 11
- Colour: Red
- Overall Width: 26"
- Overall Depth: 19"
- Overall Height: 42"

GRAY
TOOLS



Model No.	MFG. No.	Promo Price
NJH104	93211	1173.25

Steel Hand Tool Box

- Heavy gauge powder coated steel for durability
- Rust resistant plated buckles
- Pad lock or key lock
- Overall Width: 20"
- Overall Depth: 8-3/4"
- Overall Height: 9-3/8"
- Colour: Red



JET

Model No.	MFG. No.	Promo Price
TGW384	842104	81.20

Multi-Pocket Tool & Phone Holder

- Attached to belt with snap closure or wide padded flap
- Four pockets and one padded pocket with elastic binding sized to fit most compact cell phones
- Detachable electrical tape sling
- Material: Polyester
- Colour: Black
- No. of Pockets: 4
- Height: 11"
- Length: 6"

Tools sold separately

Kumys



Model No.	MFG. No.	Promo Price
TJZ972	PL-99	16.40

Large Electrical & Maintenance Tool Carrier

Kumys

- 11" x 6" multi-compartment plastic tray included that slides securely into bottom of tool carrier to organize small parts
- 16 multi-use outside pockets and 7 inside pockets to organize a wide range of tools and accessories
- Box shaped design prevents tipping over
- Extra padded carrying handle and adjustable shoulder strap
- Colour: Black
- Material: Polyester
- No. of Pockets: 23
- Dimensions: 11" L x 10" W x 19" H

Tools sold separately



Model No.	MFG. No.	Promo Price
TBN256	SW-1528	67.40

High-Accuracy Levels

- High accuracy vial with big bubble and 3 black lines each side
- Environmentally-friendly fluorescent liquid inside, which is anti-oxidation, anti-ultraviolet, and anti-electrostatic drift
- High strength aluminum profile
- Enhanced cross section design has high anti-bending resistance, so as to ensure constant accuracy and reliability
- Type: Box
- No. of Vials: 3
- Non-Magnetic



UAV720

Model No.	Length'	Promo Price
UAV720	2	16.10
UAV721	4	31.40



AURORA TOOLS

Tape Measures

- Features a compact case design, and rugged rubber over-mold for impact resistance
- Easy to use and easy to handle
- Highly durable
- High performance blade with nylon coating
- Colour: Blue & Green



UAV722

UAV724

Model No.	Blade Length'	Blade Width"	Graduations	Promo Price
UAV722	12	5/8	Imperial & Metric	3.84
UAV724	16	1	Imperial & Metric	5.25
UAV723	16	1	Imperial	5.25

Ball Nose Hex Key Set

- Long arm series allows access into tough spots and more torque on the fastener
- Ball nose design allows engagement of fastener at up to 25° angle
- Precision chamfering for ease of insertion
- Industrial heat treated Chrome Vanadium steel
- No. of Keys: 22
- Drive Type: Metric & Imperial
- **Includes:** 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm



Model No.	MFG No.	Promo Price
TGW335	775164	48.00



Long Arm Hex Key Set

- Long arm series allows access into tough spots and more torque on the fastener
- Precision chamfering for ease of insertion
- Industrial heat-treated Chrome Vanadium steel
- Combines 13 PC S.A.E. and 9 PC Metric with a convenient centre post that converts to a comfortable T or L-handle
- No. of Keys: 22
- Drive Type: Metric & Imperial
- Standard(s) Met: ANSI
- **Includes:** 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm



Model No.	MFG No.	Promo Price
AUW165	775162	36.90



Mechanic's Pliers Set

- Made of high quality Chrome Vanadium steel (except slip joint)
- Cutting edges induction hardened to HRC58-63
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- No. of Pieces: 5
- Standard(s) Met: ANSI
- **Includes:** 8" Angle Head Cutter, 8" Long Nose, 8" Linemans, 8" Slip Joint, 8" Groove Joint



Model No.	MFG No.	Promo Price
AUW104	730341	113.40



Starter Pliers Set

- Made of high quality Chrome Vanadium steel (except slip joint)
- Cutting edges induction hardened to HRC58-62
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- No. of Pieces: 4
- Standard(s) Met: ANSI
- **Includes:** 6-1/2" Diagonal Cutter, 6-1/2" Long Nose, 7" Linemans, 8" Slip Joint



Model No.	MFG No.	Promo Price
AUW103	730311	54.10



Pipe Wrenches w/Aluminum Handle

- Drop-forged alloy steel jaw
- Lightweight for less user fatigue and ideal for overhead pipe work
- Precision milled sure gripping teeth
- Spring action ensures sure grip and quick release
- Handle Type: Ergonomic
- Finish: Plain



AURORA
TOOLS

Model No.	Length"	Jaw Capacity"	Promo Price
UAL053	10	1-1/2	28.70
UAL054	12	2	37.40
UAL055	14	2	41.40
UAL056	18	2-1/2	69.70
UAL057	24	3	120.00
UAL058	36	5	212.00
UAL059	48	6	354.00

Magnetic Tool Holder

- Mount to walls, work benches, ladders, etc.
- 3/16" mounting holes and screws provided
- Holes on 16" centres
- Holds a 10-lb. hammer!
- Length: 24"
- Height: 2"
- Thickness: 1-1/8"
- Strength: 240 lbs.



MAG-MATE™

Model No.	MFG No.	Promo Price
TLY309	TH2400	62.40

Well Socket Set

- Chromium-Molybdenum Steel (CRMO) construction for added durability and long life
- 3-3/16" deep for longer reach and the ability to fasten over longer threads
- Locking hole keeps the socket securely attached to the impact driver
- Laser etched for easy identification
- Drive Size: 1/2" • Type: Impact
- No. of Pieces: 14
- Drive Type: Square
- Includes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"



Makita™

Model No.	MFG No.	Promo Price
UAU628	A-96372	166.00

Heavy-Duty Hammer Tacker

- Accepts staples in 5 lengths: 1/4", 5/16", 3/8", 1/2" and 9/16" with a crown width of 3/8"
- All-steel construction, with rubberized handle for superior grip
- Precision locked rear loading, with jam proof mechanism
- Retractable striking edge
- Chrome plated finish



AURORA
TOOLS

Model No.	Promo Price
PG362	45.00

Rectangular Magnetic Tray

- Length: 11"
- Width: 6"



GRAY TOOLS

Model No.	MFG No.	Promo Price
TYR975	89922	33.73

Wrench Sets

- Surface Drive® nearly eliminates fastener rounding
- Exceed ANSI box-end strength requirement
- Forged metal
- Mirror chrome finish
- 5° ratcheting box end
- Type: Combination

TDS803



GEARWRENCH

Model No.	MFG No.	No. of Pieces	Size Standard	Sizes	Promo Price
TDS803	9312	13	Imperial	1/4" to 1"	161.00
TDS792	9416	16	Metric	8 mm to 24 mm	161.00

72-Tooth Combination Wrench Set

- 72-tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Thin head and beam provide greater access in confined work areas
- No. of Pieces: 20
- Size Standard: Imperial and Metric



GEARWRENCH

Model No.	MFG No.	Promo Price
AUW199	35720-06	107.00

Super 8 Plus™ Multibit Screwdriver

- Comes standard with seven 3" long hex power bits
- 1/4" hex power bits ideal for use in drills and impact drivers
- Bits are precision-machined for reliable bit-to-screw fit
- Removable and reversible stainless-steel nut driver (1/4" and 5/16")
- Handle Type: Plastic



PICQUIC
SINCE 1988

Model No.	MFG No.	Promo Price
NKB886	98880	23.50

Sixpac Plus™ Multi-Bit Screwdrivers

- 1/4" Hex Power bits, 3" long
- Anodized aluminum alloy shank for years of use
- Bits are ideal for use in drills and power drivers
- Sixpac Plus™ is the original Picquic® for professional or at home use;
- Includes:
Robertson #1, #2, #3
Phillips #2, #3
Slotted 3/16", 1/4"



PICQUIC
SINCE 1988

Model No.	MFG No.	Promo Price
VE476	88001	17.40

Micrometer Torque Wrenches

- Meets or exceeds ISO 6789 and ASME B107.300-2010 standards and specifications
- Pull adjustment collar for easy and quick torque setting changes
- Knurled anodized aluminum handle allows user to grip the wrench comfortably, helping to reduce hand fatigue
- Mid-point on handle clearly marked for accuracy
- Standard(s) Met: ISO 6789 & ASME B107.300-2010
- Material: Alloy Steel
- Finish: Full Chrome Polish
- Manufacturer's Warranty: 90 Days Calibration, 1 Year Parts

UAU780



GW GEARWRENCH

Model No.	Overall Length"	Torque Range	Promo Price
DRIVE TYPE: 1/2" SQUARE			
UAU783	21-9/10	20 - 150 ft.-lbs., 33.9 - 210.2 N.m	149.00
UAU785	24-1/3	30 - 250 ft.-lbs., 54.2 - 352.6 N.m	149.00
UAU787	25-1/4	30 - 250 ft.-lbs., 54.2 - 352.6 N.m	200.00
DRIVE TYPE: 3/8" SQUARE			
AUW400	15-3/4	10 - 100 ft.-lbs., 20.3 - 142.4 N.m	251.00
UAU782	18	10 - 100 ft.-lbs., 20.3 - 142.4 N.m	140.00
UAU781	19-2/5	30 - 250 in.-lbs., 4.52 - 29.38 N.m	144.00
DRIVE TYPE: 1/4" SQUARE			
UAU780	10-1/2	30 - 200 in.-lbs., 3.95 - 23.16 N.m	149.00

Heavy-Duty Bench Vise

- 80,000 PSI Industrial grade ductile iron
- Built in pipe jaws hold round objects
- Hardened anvil striking surface used for forming & shaping
- Safety locking plate in base prevents the vise from slippage



AURORA
TOOLS

Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Mount Type	Promo Price
TYL093	4	4-1/2	2-7/10	Fixed	177.00
TYL094	5	5-1/2	3-3/10	Fixed	236.00
TYL095	6	6-1/2	3-1/2	Fixed	372.00
TYL098	4	4-1/2	2-1/2	Swivel	127.00
TYL101	8	8-3/10	3-8/10	Swivel	319.00

210-Piece S.A.E./Metric Socket & Wrench Set

- Laser-marked socket size on each socket for easy identification
- Includes:
(24) 1/4" standard sockets
(25) 3/8" standard sockets
(27) 1/2" standard sockets
(15) 1/4" deep sockets
(20) 3/8" deep sockets
(21) 1/2" deep sockets
(30) 1/4" shank bits
(12) 8 mm shank bits
(36) accessories



AURORA
TOOLS

Model No.	Promo Price
TLV362	370.00

Extendable Pry Bars

- Extends for greater access and leverage and collapses so you can store it securely in your tool box
- Knurled handle provides a better overall grip
- Indexible head turns 180° for greater leverage
- Features 14 locking positions
- Overall Length: 18" - 29"



GW GEARWRENCH

Model No.	MFG No.	Promo Price
TLV416	82220	109.00

5" Non-Vacuum Dynorbital-Spirit™ Random Orbital Sander

- Palm-style grip
- Colour-coded composite lever (identifies orbit size)
- Low sound levels
- One-piece speed control dial
- Air Consumption: 14 CFM
- Air Inlet: 1/4" NPT
- Sound Level (dBA): 80
- No Load RPM: 12000
- Disk Diameter: 5"
- Air Flow Rate @ 90 psig: 14 SCFM
- Horsepower: 0.25 HP
- Air Pressure: 90 PSI
- Hose Size (I.D.): 1/4" (6 mm)
- Orbit Diameter: 3/16" (4.8 mm)
- Tool Spindle Thread: 5/16"- 24 female
- Length: 6 1/2" (165 mm)
- Height: 3 1/2" (89 mm)



Model No.	MFG No.	Promo Price
TDY861	59020	289.00

308B Die Grinder

- Compatible with "piped away" exhaust kits
- Air Consumption: 7
- Air Inlet: 1/4" NPT
- Sound Level (dBA): 103
- Collet Size: 1/4"
- No Load RPM: 25000



Model No.	MFG No.	Promo Price
NKD061	308B	152.10

Right-Angle Die Grinder

- Ergonomic and lightweight
- Durable metal housing and powerful vane motor
- Air Consumption: 6 CFM
- Air Inlet: 1/4" NPT
- Sound Level (dBA): 104.8
- Collet Size: 1/4"
- No Load RPM: 21000



Model No.	MFG No.	Promo Price
BW372	301B	113.40

Heavy-Duty Air Impact Wrenches

- Air Inlet: 1/4" NPT
- Hose Diameter: 3/8" (9.5 mm)
- Drive: 3/4"
- THZ672: Air Consumption: 9 CFM
- TLZ139: Air Consumption: 13.7 CFM



Model No.	No Load RPM	Vibration Less Than	Torque Range ft-lbs.	Promo Price
THZ672	4600	6.1 m/s ²	565-1100	473.00
TLZ139*	9000	9.2 m/s ²	450-1000	539.00

*Composite

Blow Gun Kit with 5 Interchangeable Tips

- Contoured design fits comfortably in operators hand
- Large hanging hook
- Comes with five tips: Non-marking soft rubber tip, large needle tip, narrow needle tip, inflating needle tip and metal tip
- 1/4" (F) - 18 NPT inlet
- Air Inlet: 1/4" NPTF
- No. of Pieces: 6
- Finish: Chrome Plated
- Operating Pressure: 90 - 120 PSI



Model No.	Promo Price
TLZ147	14.20

Hose Reel

- For use with air or water
- Kinkless, high quality hoses
- Permanently lubricated for long, trouble-free service
- Hose Type: Water, Air
- Hose Capacity: Single Hose
- Inner Hose Diameter: 3/8"
- Hose Length: 50'
- Hose End: 1/4" NPTM
- Working Pressure: 300 PSI
- Dim.: 20.25" H x 19.75" W x 7" D
- Reel Outlet: 1/2" NPTF
- Reel Inlet (F) NPT": 1/2
- Drive Type: Spring
- Hose Outlet (M) NPT": 1/4"



Model No.	MFG No.	Promo Price
TN318	7650 OLP	701.00

Reciprocating Saw Blades

- Enhanced carbide tip-to-blade connection for extreme impact-resistance
- High-performance carbide for greater durability and cutting performance in thick metal
- Width: 1"
- Thickness: 0.039"
- TPI: 8
- Material: Carbide

TCR008



Model No.	MFG No.	Length"	Promo Price
TCR008	DS0408CFC	4	10.40
TCR009	DS0608CFC	6	13.40
TCR010	DS0908CFC	9	17.60

Scotch-Brite™ Hand Pads

- Excellent products for hand finishing, polishing, cleaning, blending, deburring of wood, metals and composites
- Ideal for wood finishing, paint preparation and general cleaning
- Can be used dry or with water or solvents
- Pad Size: 6" x 9"



BP486



Model No.	MFG No.	Type of Pad	Colour	Finish	Promo Price
BP486	SB18451	Heavy-duty	Tan	Coarse	4.10
BP482	SB18453	Blending	Grey	Medium	2.93
BP484	SB04229	General purpose	Maroon	Very Fine	1.33
BP492	SB14049	Ultra fine	Light Grey	Ultra fine	1.33

Standard 2 In 1 Flap Disc Wheels

- Standard aggressive fiber backed Zirconium
- High removal rate
- Comfortable with minimal load requirement
- For use on steel & stainless steel
- Arbor Size: 7/8"
- Abrasive Material: Zirconium
- Type: 29
- Disc Shape: Type 29
- Manufacturer Series: Standard 2 Star 2 in 1 wheel



NU423



Model No.	MFG No.	Grit	Dia."	Max. RPM	Promo Price
NU423	572473	40	4-1/2	13,300	3.69
NU424	454393	60	4-1/2	13,300	3.69
NU425	455312	80	4-1/2	13,300	3.69
NU426	824385	40	5	12,250	4.26
NU427	455303	60	5	12,250	4.26
NU428	458587	80	5	12,250	4.26

Premium 2 In 1 Thincut Cut-Off Wheels



- Superior comfort and performance
- Offers a fast, cool and burr free cut
- Free cutting reduces workload and increases productivity
- Highly reinforced cutting wheel
- Thickness: 0.045"
- Arbor Size: 7/8"
- Type: 1
- Abrasive Material: Aluminum Oxide
- Manufacturer Series: Premium 3 star 2 in 1 wheel

NU405



Model No.	MFG No.	Diameter"	Max RPM	Promo Price
NU404	384142	4-1/2	13 300	2.92
NU405	384143	5	12 250	2.99
NU406	401205	6	10 200	4.74

Framing Saw Blade



- Tracking Point™ tooth design provides straight cuts & controls carbide wear
- Tracking Point™ tooth design also delivers extreme cutting efficiency in corded and cordless saws
- Newly enhanced anti-vibration design provides the ideal combination of stability and rigidity
- Perma-Shield non-stick coating resists heat, gumming and corrosion
- Application Type: Wood
- Hook Angle: 15°
- Kerf Thickness: 0.059"
- Plate Thickness: 0.04"
- Blade Type: ATB



Model No.	MFG No.	Diameter"	Arbor Size"	No. of Teeth	Promo Price
TDX988	D0724A	7-1/4	5/8	24	17.60

Scotch-Brite™ Roloc™ Surface Conditioning Discs



- Removing surface defects
- Removing light edge burrs, parting lines or flashing
- Removing rust, oxides, corrosion, paints and scale
- Cleaning molds

BP396



Model No.	MFG No.	Dia."	Grit	Colour	Promo Price
BP396	SB05528	2	Coarse	Brown	1.43
BP397	SB05527	2	Medium	Maroon	1.43
BP398	SB05523	2	Very Fine	Blue	1.43
BP400	SB05532	3	Coarse	Brown	2.66
BP401	SB05531	3	Medium	Maroon	2.66
BP403	SB05530	3	Very Fine	Blue	2.66

Soapstone

- Cost-effective solution for temporary marking
- Ideal for marking on steel and iron, aluminum, stainless steel, and textile
- Type: Flat
- Sold in boxes of 144

MARKAL



Model No.	MFG No.	Promo Price
PB943	080129	0.48/Ea.

Magnetic Welding Square

- Mid-Size
- Provides fast set-up and accurate holding of steel sheet stock, plate and tubing for welding
- Holds work pieces at 45°, 90°, 135° and 180° angles
- Strength: 75 lbs.
- Dim.: 3-3/4" L x 3/4" W x 4-3/8" H



MAG-MATE

Model No.	MFG No.	Promo Price
TGY627	WS400	28.60

14.1-oz. MAP-Pro™ Gas Cylinder

- Propylene gas burns hotter than propane. Use only with torches and appliances specifying "for use with propylene".

BERNZOMATIC



Model No.	MFG No.	Promo Price
TTU687	332478	25.40

5.6-oz. Disposable Gas Cylinder

- Odourized
- Gas Type: Butane

BERNZOMATIC



Model No.	MFG No.	Promo Price
AG977	426329	5.94

Heavy-duty Ground Clamp

- Manufactured from nickel-plated steel with forged brass conductors
- Braided copper strap to carry current to upper jaw
- Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
- Allen-type wrench included




WELD-MATE

Model No.	Amperage Rating	Promo Price
NT668	300	16.50

Heavy-Duty "C-Style" Ground Clamp

- C-type jaws are adjusted by screw lever
- Rubber insulated cable connector
- Amperage Rating: 600



WELD-MATE

Model No.	Promo Price
NT665	48.70

Electrode Holders

- Grip the electrode closer to the end
- Allows you to use 20% more of the electrode than with standard tong holders
- Manufactured from copper alloy for maximum conductivity and strength
- Fibreglass insulators are designed to withstand intense heat and impact
- Will not burn, break or carbon char
- Electrode capacity: 3/32" (2 mm) - 3/16" (5 mm)



NT629

WELD-MATE

Model No.	Amps	Description	Promo Price
NT629	400	Electrode Holder w/Neck Ring	17.80
NT631	600	Electrode Holder w/Neck Ring	22.80
NT630	400	Slimline – Bernard® Style Holder	17.80

Grade R Welding Hose Reel

- Heavy-duty, reinforced steel stampings for increased strength
- Compact design allows reels to fit in tight locations
- Multi-position guide arms for multiple mounting options
- Kinkless, oil resistant high quality hose
- Inner Hose Diameter: 1/4"
- Working Pressure: 300 psi
- Hose End: 9/16" NPTF
- Reel Outlet: 1/4" NPT
- Inlet: 9/16" NPTF
- Manufacturer's Warranty: 1 Year Limited



AURORA
TOOLS

Model No.	Hose Length'	Reel Height"	Reel Width"	Reel Depth"	Promo Price
UAV184	50	18-7/10	17-1/2	8-1/2	234.00

Tweco® Style Welding Tips

- Type: Contact Tip-Heavy Duty
- For Use With: Tweco® Style
- Amperage: 200, 300, 400
- Manufacturer's Warranty: 1 Year Limited

NP611



Model No.	Size"	Promo Price
NP611	0.035	0.90
NP612	0.040	0.97
NP613	0.045	0.90

Multi-Purpose MIG Welding Pliers

- Nickel-plated steel prevents corrosion and rust
- Spring-loaded tip eases opening and closing
- Designed for nozzle and tip adjustments, wire cutting and spatter removal
- Overall Length: 8-1/2"
- Manufacturer's Warranty: Limited Lifetime



Model No.	Description	Promo Price
TYX128	Premium Pliers	17.80

Spiral Tip Cleaner

- Cleaning data on back of case
- Hardening steel file included in each case
- Quality aluminum case
- Manufacturer's Warranty: 1 Year Limited



Model No.	Type	Promo Price
NT641	Standard Set	2.42

Cam Action Cable Connectors

- One model fits cable sizes 4 through 4/0
- Manufactured from heavy wall precision machined brass alloy
- Cable is held securely by large dome screw
- Brass body assembly slides easily into unique heavy-duty neoprene insulator with no external screws to avoid shock hazards



Model No.	Description	Promo Price
NT664	Male/Female Connector Set	17.40
NT649	Male Half with Insulator	10.50
NT650	Female Half with Insulator	8.37

Industrial-Duty Scratch Brushes

- Wood handle
- Smooth finish for extra comfort
- Trim Length: 1"



Model No.	Length of Brush"	O.A. Length"	Wire Bristles	Rows	Promo Price
LONG HANDLE					
NT607	5-3/4	13-3/4	Carbon Steel	3 x 19	3.06
NT608	5-3/4	13-3/4	Carbon Steel	4 x 19	3.61
NT612	6	10-1/4	Stainless Steel	4 x 19	5.65
SHOE HANDLE					
NT610	5-1/4	10-1/2	Carbon Steel	4 x 16	2.98
NT614	5	10-1/4	Stainless Steel	4 x 16	5.44
"TOOTHBRUSH"					
NT615*	1-1/2	7-3/4	Stainless Steel	3 x 7	1.36

*Trim Length: 1/2"

Silver-Streak® Metal Marker

MARKAL

- Ideal for metal layout and fabrication work
- Marks on all types of metal surfaces
- Will not rub off like soapstone
- Includes handy pocket clip holder and one refill
- Features a built-in sharpener



Holder

Model No.	MFG No.	Type	Promo Price
BC901	96006	Round	14.90

Refills

Model No.	MFG No.	Type	Qty/Pkg.	Promo Price
BC904	96007	Round	6	11.50/Pkg.

Red-Riter® Welders Pencil

- Ideal for use on aluminum, steel and iron
- Highly visible marks will not rub, burn or blow off
- Type: Round
- Colour: Red
- Qty/Pkg.: 12



MARKAL

Model No.	MFG No.	Promo Price
PE778	096100	15.70/Pkg.

Silver-Streak® Welders Pencil

- Ideal for use on aluminum, steel and iron
- Highly visible marks will not rub, burn or blow off
- Type: Round
- Colour: Silver
- Qty/Pkg.: 12



MARKAL

Model No.	MFG No.	Promo Price
PE777	96101	15.70/Pkg.

Valve Lockouts

ZENITH
Safety Products

- Cover the valve handle with the gate valve lockout device and apply a personal padlock and lockout tag to ensure employee safety
- Supplied with English and French danger labels
- Extremely rugged construction for superior security
- Valve Type: Gate
- Material: Plastic, Nylon, ABS
- Risk Type: Mechanical Risk
- Legend: Danger Locked Out Do Not Remove

SHA670



Model No.	Valve Wheel Diameter"	Promo Price
SHA670	1 to 2.5	12.75
SHA671	2.5 to 5	15.95
SHA672	5 to 6.5	20.75
SHA673	6.5 to 10	31.95

Safety Lockout Hasps

ZENITH
Safety Products

- For use when more than one employee is part of a lockout procedure
- Attached to energy disconnect
- Galvanized steel jaw with red vinyl coating on handle
- Max. No. of Padlocks: 6
- Jaw Diameter: 0.25"



SGY226

Model No.	Inside Jaw Clearance"	Dimensions"	Promo Price
SGY226	1	4.5 x 1.5	5.44
SGY227	1.5	5 x 1.5	5.59

ProSeries® Weather Tough® Padlocks

Master Lock

- Rekeyable - replaceable cylinder and shackle
- 5-pin cylinder with spool pin tumbler is impossible to pick
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- Comes with two keys
- Type: Security Padlock
- Body Material: Laminated Steel
- Colour: Black
- Key Type: Keyed Different

SAL433



Model No.	MFG No.	Body Width"	Shackle Dia."	Shackle Clearance Height"	Shackle Clearance Width"	Promo Price
SAL433	6121	2-1/8	5/16	1-1/8	7/8	34.99
SAL434	6121LJ	2-1/8	5/16	2-1/2	7/8	36.99
SA902	6125	2-3/8	3/8	1-3/8	7/8	38.99

Z1100 Series Safety Goggles

- Wrap-around style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Antifog lens is ideal for high humidity applications
- Ventilation Type: Indirect
- Band Type: Elastic

SEK294



SGR808



ZENITH
Safety Products

Model No.	Lens Tint	Standard(s) Met	Promo Price
SEK294	Clear	CSA Z94.3	6.99
SGR808	3.0	ANSI Z87+/CSA Z94.3	11.99
SGR809	5.0	ANSI Z87+/CSA Z94.3	14.49

Supereight™ Roughneck P2A Hardhats

- Exceptional impact and crack resistance plus durability
- Strip proof ratchet headband
- Exclusive Supereight™ suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- Class: ANSI Class G, CSA Class C
- Suspension Type: Ratchet
- Certification(s): ANSI and CSA Type I

SAM405



SEM995



Honeywell
FIBRE-METAL

Model No.	MFG No.	Colour	Promo Price
SEM995	P2AQRW11A000	Black	42.95
SAM405	P2AQRW74A000	Green	42.95

FireArmor® Structural Fire Gloves

- Structural firefighting glove made with cow suede leather
- Extended gauntlet cuff for added protection against debris
- Reinforced thumb saddle and palm for increased durability and abrasion resistance
- NFPA 1971:2018 certified H2X+™ FR moisture barrier (interior layer)
- Shell Material: Kevlar®
- Inner Lining: Nomex
- Heat Resistance Max. Temperature: 360° F (182° C)
- Cuff Style: Gauntlet



HexArmor
the science of safety.

Model No.	MFG No.	Size	Promo Price
SGX778	8180-S (7)	Small	132.99/Pair
SGX779	8180-M (8)	Medium	132.99/Pair
SGX780	8180-L (9)	Large	132.99/Pair
SGX781	8180-XL (10)	X-Large	132.99/Pair

Lava Brown Leather Spats

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue

TTU390



Model No.	Length"	Promo Price
TTU390	6	25.99/Pair
TTU391	14	55.99/Pair

WELD-MATE

Premium Comfoflex™ Welding Gloves

- Heat and flame resistant shoulder split cowhide
- Fully sock lined for added comfort
- 13 1/2" long with reinforced thumb
- Fully welted DuPont® Kevlar® stitched seams for higher seam strength and flame resistance
- Size: Large
- Leather Palm Type: Split Cowhide
- Thumb Style: Straight
- Cut Pattern: Gunn
- Manufacturer's Warranty: 1 Year Limited

WELD-MATE



Model No.	Promo Price
610-0328	11.35/Pair

FR-Tech® Flame-Resistant Safety Shirts

- Provides a professional appearance without sacrificing safety
- Made with premium cotton blend with high-tenacity nylon
- Collared shirt covers the neck and gives a professional appearance
- Self-extinguishing material protects workers from potential burns
- Colour: High Visibility Orange
- Arc Rating: 10 cal/cm²
- Standard(s) Met: ASTM F1506, NFPA 2112, NFPA 70E
- Arc Flash PPE Category Level: 2
- Additional Certification(s): CSA Z96-22 Class 2 Level 2, CGSB 155.20-2017
- Thermal Protective Performance (TPP): 9 cal/cm²



PIONEER
ESTABLISHED 1987

Model No.	MFG No.	Size	Promo Price
SHE074	V2540460-S	Small	105.95
SHE075	V2540460-M	Medium	105.95
SHE076	V2540460-L	Large	105.95
SHE077	V2540460-XL	X-Large	105.95
SHE078	V2540460-2XL	2X-Large	105.95
SHE079	V2540460-3XL	3X-Large	105.95

Digital Multimeter

- 0.5% basic DC accuracy
- 4000-count resolution
- EN61010-1 Cat. III 600 V safety rating
- Includes Type K temperature probe, test leads and 9 V battery
- Voltage Readings: AC/DC
- Current Readings: AC/DC



REED

Model No.	MFG No.	Promo Price
IA406	R5008	80.50

Sound Level Meter and Calibrator Kit

- The kit includes the R8050 Sound Level Meter, the R8090 Sound Level Calibrator (SC-05), the R8888 Hard Carrying Case with Laser Etched Custom Foam Interior (specifically designed for the included instruments), as well as a wind shield ball and batteries
- Frequency Weighting: A/C
- Measuring Range: 30 - 130 dB
- Not Data Logging
- Frequency Range: 31.5 Hz to 8 kHz
- Time Weighting: Fast/Slow (125ms and 1s)
- Display: 4-digit LCD
- Auto Shut-off: Yes (after 15 mins)
- Power Supply: 9V battery
- Battery Life: Approx. 50 hours
- Product Certifications: CE, IEC 61672-1 Class 2, ANSI S1.4-1983
- Operating Temperature: 32 to 104°F (0 to 40°C)
- Operating Humidity: 10-90%



REED

Model No.	MFG No.	Promo Price
IB831	R8050-KIT	476.10

Infrared Thermometer

- Built-in laser pointer identifies target area
 - Digitally adjustable emissivity
 - Max, min, average and differential readings
 - Backlit display
 - Temperature Range: -25.6° - 752° F (-32° - 400° C)
 - Spot Size Ratio: 12:1
 - Emissivity: Adjustable
 - Accuracy: ±4°(2°) or ±2% rdg.



REED

Model No.	MFG No.	Promo Price
IB967	R2300	71.50

Electrical Troubleshooting Kit

REED

- Plug the transmitter into a receptacle and scan breaker box to identify the circuit
- Detects 5 3-wire receptacle wiring faults
- Built-in GFCI receptacle check function
- Adjustable sensitivity wheel quickly identifies breaker
- Display Type: Indicator Light
- Voltage Range: 90 to 120V AC
- Bandwidth: 47 to 63Hz
- Power Supply: 9V Battery
- Operating Temperature: 32 to 104°F (0 to 40°C)
- Storage Temperature: 4 to 140°F (-20 to 60°C)



Model No.	MFG No.	Promo Price
IB869	R5500-KIT	125.50

Moisture Detector

- Detects moisture content in building materials of all kinds, as well as detects moisture distribution in walls, ceilings and floors
- Non-destructive - moisture sensor runs smoothly over the surface being tested without scratching or penetrating the surface
- Display Hold button
- Max/Min function with alarm indication
- Temperature Range: 32° - 104°F (0° - 40°C)
- Moisture Range: 0 - 100%



REED

Model No.	MFG No.	Promo Price
IA681	R6010	233.50

Wet-Bulb Globe Temperature (WBGT) Heat Stress Meter

- Measures ambient temperature, humidity, wet bulb temperature, black globe temperature, WBGT (wet bulb global temperature), heat stress index, dew point and pressure
- Heat Stress Index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (GT) monitors the effects of direct solar radiation on an exposed surface
- Humidity Range: 0% - 99.9% RH
- Product Certifications: CE, RoHS
- Air Temperature Range: 0 to 50°C (32 to 122°F)
- Power Supply: 4 x AAA Batteries, Optional AC Adapter



REED

Model No.	MFG No.	Promo Price
IB908	R6200	198.00

Workshop Surge Protector Power Strip

- Features cord wrap and surge protector to protect your devices from an overload
- Lighted on/off switch
- Keyhole slots on the back of the unit allow the model to be mounted under a desk, on walls or other locations
- Indoor use only
- No. of Outlets: 8
- Cord Length: 6'
- Rates Joules: 1350 J
- 15 Amps
- Wattage: 1875 W
- Volatge: 125 V



Model No.	Promo Price
XH162	21.95

AURORA
TOOLS

Industrial Work Light

- Rugged impact resistant housing
- On/Off switch handle
- Certified for sale in Canada by an accredited certification body
- Lightweight design
- **Includes:** Hanging hook and electric outlet
- Wattage: 75 W
- Cord Length: 25'



AURORA
TOOLS

Model No.	Promo Price
XC660	23.95

Running Man Sign with Security Lights

- New easy click design allows for fast installation
- Single face or double face orientation
- Various mounting orientation (wall, side, ceiling)
- Ideal for use in offices, schools and warehouses
- Housing Material: Steel
- Backlight Bulb Type: LED
- Length: 12-1/10"
- Width: 11"
- Battery Operated, Hardwired
- Emergency Battery Duration: 2 hours

ZENITH[®]
Safety Products



Model No.	Battery	Promo Price
XI790	Lead-acid battery (6V 6Ah)	129.00

LED String Work Lights

- Each panel light outputs up to 1000 lumens
- LED bulbs built-in, no replacement bulbs required
- The integrated LED lights are designed to last for 30,000 hours
- Low power consumption allows 12 additional sets to be linked together
- Number of Lights: 5
- Light Temperature: 5000K
- Environmental Rating: IP55
- Wattage Per Panel: 10W
- Lumens Per Panel: 1000
- Distance Between Panels: 8-5/6'



AURORA
TOOLS

Model No.	Cord Length	Housing Material	Wire Gauge	Promo Price
XI021	50'	Plastic	16/2	94.95

All Weather TPE-Rubber Extension Cords

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding
- Type: Extra Heavy-Duty
- Gauge (AWG): 12/3
- Amps: 15 A
- Wattage: 1875 W

XC503



XC239



AURORA
TOOLS

Model No.	Length'	Promo Price
1 OUTLET		
XC503	25	35.60
XC504	50	69.95
XC505	100	133.00
3 OUTLETS		
XH238	25	41.55
XH239	50	79.50
XH240	100	148.00

Spill Pallets

- Design allows for efficient 'stacking or nesting' that provides for efficient, low cost storage, handling and transportation
- The low profile sump design with strong removable platform allows for ease of use
- Colour: Yellow



SHK131

Model No.	Overall Dim. L" x W" x H"	Spill Cap. US gal.	Load Cap. lbs.	Promo Price
2-DRUM				
SHK130	51.5 x 36 x 15	61	1433	295.00
4-DRUM				
SHK131	57.5 x 57.5 x 12	66	2755	397.00

Anti-Skid Tape

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant
- Length: 60'
- Colour: Clear
- Temperature Range: 175°F to -20°F
- Application range: 95°F to 50°F
- Grit: 60



SDN104

Model No.	Width"	Thickness mil	Promo Price
SDN103	1	34	17.99
SDN104	2	35	32.59
SDN105	4	30	64.99

Maxview™ Premium Faceshields

- Extra-large polycarbonate window for superior optics and panoramic view
- Integrated side and chin guard protect against splash and flying debris
- Extended top of head coverage protects against hazards from above
- Lightweight construction for optimum comfort even during extended use
- Designed to be worn with safety glasses and fits well with respirators and most goggles
- Height: 9"
- Width: 13-1/3"
- Thickness: 0.04"
- Material: Polycarbonate
- Standard(s) Met: ANSI Z87+



SHA386

Model No.	MFG No.	Description	Promo Price
SHA386	14200	Premium Faceshield	38.95
SHA387	14201	Anti-Fog Premium Faceshield	61.99

Universal Spill Kit

- Container Type: Bin
- Absorption Capacity: 63 US gal.
- Mobile
- Includes:
 - 100 Sorbent Pads (15" x 17")
 - 4 Sorbent Socks (3" x 120")
 - 4 Sorbent Pillows (18" x 18")
 - 1 Drain Cover (36" x 36")
 - 1 All-Purpose Granular Sorbent (25-lb. Bag)
 - 2 Pairs Nitrile Gloves, XL (10)
 - 2 Pairs of Safety Goggles (One Size)
 - 3 Disposal Bags (26" x 36")



Model No.	Promo Price
SHB360	499.00

All-Purpose Granular Sorbent

- 99.5% natural diatomaceous earth
- Safely and quickly absorb water, grease, paint, alcohols, solvents, coolants, oils, and fuels
- Useful for spill containment, as a traction aid, and odour control
- Accepted for use in Canadian Food Processing Facilities
- Format: 25-lb. Bag



Model No.	Promo Price
SGX202	16.95

ZX-30° Premium Foam PVC Palm Coated Acrylic Lined Gloves

- Foam PVC palm coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip
- 15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection
- Resists abrasions, cuts and punctures
- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Meets EN 511 standards for Extreme Cold Protection maintaining flexibility in temperatures up to -50°C
- **Must be ordered in multiples of 12**

SGW880



Model No.	Size	Coating Style	Promo Price
SGW880	8	Full Dip	8.95/Pair
SGW881	9	Full Dip	8.95/Pair
SGW882	10	Full Dip	8.95/Pair
SGW883	11	Full Dip	8.95/Pair

Portable Fan Forced Utility Heater

- Three heat settings provides full comfort and efficient operation
- 600 W radiant
- 900 W fan forced
- 1500 W fan forced and radiant
- Chrome-plated safety grill
- Automatic built-in thermostat
- Ceramic core element
- Tip over safety switch and thermal limit
- Min. BTU Rating: 2048 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 5 A/12.5 A



Model No.	Promo Price
EA466	120.00

Portable Open Coil Heater

- Two heat settings (1500 W and 1000 W)
- Provides full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top mounted handle and controls
- Grounded plug and controls
- Type: Radiant Heat
- Min. BTU Rating: 3410 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 8.3 A/12.5 A



Model No.	Promo Price
EA469	65.45

Portable Salamander Heater

- Manufactured for long lasting, this portable heater for warehouses, factories, garages, construction sites, pavilions and other open areas, raise temperature to the desired level gradually for worksite comfort
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Over heat protection
- Easy to move to different areas of the site
- Variable speed setting, fan forced
- Max. BTU Rating: 34121 BTU/H
- Fan Motor Type: Enclosed air over, Ball bearing
- Type: Contractor
- Voltage: 240 V
- Wattage: 10080 W



Model No.	Promo Price
EA786	1112.00

Portable Heaters

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Tip over safety switch and thermal safety fuse
- Min. BTU Rating: 2557 BTU/H
- Max. BTU Rating: 5115 BTU/H

EB182



EB183

Model No.	Type	Promo Price
EB182	Ceramic	48.55
EB183	Fan-Forced	88.15

Oil Filled Heater

- 7-fin, oil-filled heater
- Three heat settings provide full comfort and efficient operation
- Adjustable thermostat
- Built-in over heating protection
- Tip-over safety protection
- Min. BTU Rating: 2048 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Voltage: 120 V
- Min. Wattage: 600 W
- Max. Wattage 1500 W
- Amperage: 5 A/12.5 A



Model No.	Promo Price
EA612	85.15

Heavy-Duty Tilted Heater

- Industrial finger proof steel intake/discharge grills
- Durable metal construction with enclosed motor
- One-speed fan only function
- Built-in over heating protection
- Air flow direction adjustable from 10°-50°
- Adjustable thermostat
- Energy-saving
- Convenient carrying handle
- Forced-air heater function
- Safety shutoff function
- Max. BTU Rating: 19107 BTU/H
- Max. Temperature: 100°F
- Type: Ceramic
- Voltage: 240 V • Amperage: 23.3 A
- Wattage: 5600 W • Cord Length: 6'



Model No.	Promo Price
EB021	250.00

Poly Snow Shovels

- Blade Material: Polypropylene
- Handle Material: Steel
- Handle Type: D-Grip



NM809

AURORA
TOOLS

Model No.	Wearstrip	Blade Dim. W" x H"	Overall Length"	Promo Price
NM809	Included	19-3/4 x 13-1/8	50-3/4	32.45
NM810	Not Included	19-3/4 x 13	51-3/8	31.60

Poly Snow Pushers

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip
- Blade Material: Polypropylene



NM811

AURORA
TOOLS

Model No.	Wearstrip	Blade Dim. W" x H"	Overall Length"	Promo Price
NM812	Included	21-1/4 x 9-1/4	50-1/2	26.80
NM811	Not Included	24-1/2 x 10-3/4	54-1/2	33.20

Broadcast Spreaders with Stainless Steel Hardware



NN138



NN139

- Metal gear inside of the gear box
 - Stainless steel hardware in the hopper and pivot shaft
 - Metal control handle
 - Rate setting control on handle for precise adjustments
 - Easy three-step assembly
 - Spread Width: 10'-12'
 - Includes: Raincover, screen

AURORA
TOOLS

Model No.	Load Capacity	Coverage sq.ft.	Pneumatic Tire Size"	Promo Price
NN138	70 lbs.	15000	10	270.00
NN139	125 lbs.	27000	14	389.00

Salt & Sand Containers

- Waterproof and lockable which makes it ideal for many other outdoor storage uses aside from storing loose or bagged salt, sand, or ice melter
- It can also hold garden supplies, sporting goods, pool supplies, tools, garbage/recyclables, or anything else you want to safely store
- Constructed of rugged BPA-free UV-resistant polyethylene
- Built-in pockets for forklifts allow the bins to be moved without emptying them
- Capacity: 4.24 cu. ft.
- 21" L x 27" W x 26" H



NO614

NO615

RMP
PRODUITS D'ENTRETIEN - MAINTENANCE PRODUCTS

JK232

Model No.	Colour	Description	Promo Price
NO614	Container	Yellow	130.00
NO615	Container	Grey	130.00
JK232	Polyethylene Scoop, 2L	Yellow	6.25

Scrapers

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Handle Material: Ashwood
- Handle Type: Straight
- Handle Length: 48"
- Blade Material: Tempered steel

Garant



ND067

ND040

ND115

Model No.	Series	Blade"	Promo Price
ND067	Nordic™	7 x 5-1/2	29.95
ND040	Alpine™	7 x 6	52.95
ND115	Yukon™	8-1/2 x 6-1/4	69.95

Alpine™ Sleigh Snow Shovel

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Blade Width: 23-1/2"
- Blade Length: 27-3/4"
- Handle Length: 56"
- Wearstrip Included
- Handle Material: Steel
- Handle Type: Ergonomic

Garant



Model No.	MFG No.	Promo Price
ND307	APSS22	69.95

Pricing in effect until April 11, 2025 or while quantities last. Taxes and freight extra. Issue #SDW225012NA
Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.